



R=1000
T= 27.70
Y= 0.38

R=1400
T= 29.93
Y= 0.32

R=2000
T= 9.09
Y= 0.02

R=2000
T= 9.32
Y= 0.02

R=2000
T= 11.60
Y= 0.03

R=1000
T= 12.28
Y= 0.08

0.36938
489.00

0.39707

0.42477
0.42714
-5.85% DL 60.00 (2.37)

0.45707
485.49

0.48700
-1.57% DL 90.00 (50.98)

0.53798
0.54707
484.98
-0.66% DL 39.28 (20.86)

0.57703
0.58635
483.82
0.58567

-1.60% DL 96.72 (75.80)

0.67148
0.68307
482.27
0.69127

-2.76% DL 60.83 (36.95)

0.73162
0.74391
480.69
0.74619

-0.30% L

3.0%

3.0%
3.0%
3.0%
3.0%

3.0%

3.0%

3.0%

0.4

0.5

0.6

0.7

12	57.07	489.05	489.12
13	69.37	488.92	489.09
14	24.78 27.14	487.32 487.18	487.38 487.24
15	37.07	486.65	486.70
16	77.07	485.29	485.21
17	87.00 92.18	485.08 485.01	485.02 484.94
18	17.07	484.61	484.55
19	34.00 37.98 40.00	484.32 484.24 484.21	484.28 484.22 484.19
20	49.24	484.07	484.07
21	56.16 57.07 60.00 64.00	484.03 484.02 484.01 483.98	484.02 484.01 483.99 483.96
22	77.03	483.88	483.88
23	95.67 97.07	483.70 483.68	483.67 483.64
24	27.79	483.14	483.15
25	37.07	483.03	483.01
26	54.16	482.73	482.73
27	71.48 77.07	482.36 482.32	482.46 482.36
28	94.67 97.07	482.04 481.93	481.95 481.89
29	17.07	481.32	481.34
30	31.62 33.46	480.90 480.84	480.93 480.89
31	56.19 57.07	480.52 480.52	480.56 480.56

R400(177.78)

KT5
492.18

P 57.06

TK6
549.24

R800(78.55)

KT6
627.79

P 26.37

TK7
654.16

R180(79.30)

KT7
733.46

P 72

470.00

21.61.71 (49.43)

0.80662

3.0%

480.44

480.41

480.26

0.8

97.07

5.62

23

24

40.00

8.55

KU
805.61

2.15