

			DYNAMICKÁ PENETRAČNÍ ZKOUŠKA										DPM-3		
Souprava: typ DPM			Zkouška podle ČSN EN ISO 22476-2			Měřil: Fajfr ml.		Počet měř.úderů []: _____							
			Hloubka sondy [m]: 3.00			Datum zkoušky: 2.11.2016									
			Hlad.podz.vody [m]: nebyla zastižena			Y= 835 082.52									
						X= 1 041 866.28									
						Z= 506.40									
			Krok penetrování [m]: 0.10			Souř.systémy: JTSK / Balt									
Hloubka [m]	Počet úderů		Qd [MPa]	Hl. [m]	Graf penetrace										Geologická charakteristika
	měř.	red.			10	20	30	40	50	60	70	80			
0.1	68														
0.2	35														
0.3	28														
0.4	33														
0.5	21														
0.6	18														
0.7	55														
0.8	47														
0.9	24														
1.0	14			1.0											
1.1	5														
1.2	4														
1.3	5														
1.4	7														
1.5	8														
1.6	11														
1.7	12														
1.8	12														
1.9	14														
2.0	14			2.0											
2.1	16														
2.2	19														
2.3	20														
2.4	17														
2.5	18														
2.6	20														
2.7	22														
2.8	22														
2.9	21														
3.0	19			3.0											
Název akce: NEČTINY - polní cesta HPC 1R						Měřítko: 1:50		Zak. číslo: 16/562							
Dokumentoval: RNDr. M. Fajfr		Vyhodnotil: RNDr. M. Fajfr		Zpracoval: RNDr. M. Fajfr		Příloha č.: 4.3									