

PF 1 KM 0.0050

KUBATURY	
Na	2.43 m ²
Za	0.00 m ²
Ur	0.50 m
Sn	0.00 m
Pdc	5.57 m

[illegible]

PF 7 KM 0.1200

PF 10 KM 0.1800

KUBATURY	
Na	1.90 m2
Za	0.00 m2
Ur	0.50 m
Sn	0.00 m
Pdc	5.22 m

Diagram showing a cross-section of a road profile with a 10% grade. The diagram includes a table of elevations and a table of cross-section data.

Point	Elevation (m)
Na	267.19
Za	267.19
Ur	267.19
Sn	267.19
Pdc	267.19

Diagram showing a cross-section of a road profile with a 10% grade. The diagram includes a table of elevations and a table of cross-section data.

Point	Elevation (m)
Na	267.19
Za	267.19
Ur	267.19
Sn	267.19
Pdc	267.19

PF 13 KM 0.2400

KUBATURA		
Na		1.76 m ²
Za		0.00 m ²
Ur		0.50 m
Sn		0.00 m
Pdc		5.18 m

PF 2 KM 0.0200

KUBATURY	
Na	1.64 m ²
Za	0.00 m ²
Ur	0.50 m
Sn	0.00 m
Pdc	5.09 m

2.00

205.76

205.18

205.37

205.40

205.43

0.00

205.86

205.12

2.50

3.14

8.09

0.50

1.47

0.50

3.13

2.50

13

7.7

2.43

3.00

0.25

0.00

0.25

5.00

41.00

PF 5 KM 0.0800

KUBATURY	
Na	2.63 m
Za	0.00 m
Ur	0.50 m
Sn	0.00 m
Pdc	6.46 m

Technical drawing details:

- Top elevation: 4.00
- Right side elevation: 4.00, 4.25, 4.00, 0.25
- Horizontal dimensions: 0.50, 1.76, 0.50, 9.46, 4.19, 2.50
- Vertical dimensions: 1.86, 1.75
- Labels: ZABOR (twice), 14, 13
- Elevation points along the ditch: 265.14, 265.60, 265.67, 265.90, 265.94, 267.56, 267.64

KUBATURY

Na	2.86	m ²
Za	0.00	m ²
Ur	0.50	m
Sn	0.00	m
Pdc	6.69	m

WYSOKOŚCI

267.75	267.04	267.04	267.30	267.30	267.32	267.85	267.95
--------	--------	--------	--------	--------	--------	--------	--------

WYMIARY

0.50	2.15	0.50	9.69	4.04	2.50
------	------	------	------	------	------

WYKRES

14

13

3.33

5.00

0.00

1.80

0.25

0.00

0.25

ZABUR

ZABUR

PF 8 KM 0.1400

PF 11 KM 0.2000

KUBATURY

Na	2.09 m ²
Za	0.00 m ²
Ur	0.50 m
Sn	0.00 m
Pdc	5.53 m

Technical drawing details:

- Topographic profile line with elevations: 5.00, -2.09, -0.25, 0.00, 0.25, 3.13, 3.00.
- Horizontal dimensions: 0.50, 1.69, 0.50, 3.33, 2.50.
- Vertical dimensions: 8.53 (road width), 2.50 (ditch width).
- Labels: ZŁOTR (Złoty), 13 (slope percentage), 14 (slope percentage).
- Material quantities table (KUBATURY) with values: Na (2.09 m²), Za (0.00 m²), Ur (0.50 m), Sn (0.00 m), Pdc (5.53 m).
- Stationing markers: 266.87, 267.27, 267.49, 267.53, 267.56, 267.96, 268.12.

PF 14 KM 0.2524

KUBATURA	
Na	1.69 m ²
Za	0.00 m ²
Ur	0.50 m
Sn	0.00 m
Pdc	5.07 m

KUBATURA

Na	1.87	m ²
Za	0.00	m ²
Ur	0.50	m
Sn	0.00	m
Pdc	5.68	m

PF 6 KM 0.1000

KUBATURY	
Na	1.70 m2
Za	0.00 m2
Ur	0.50 m
Sn	0.00 m
Pdc	5.30 m

Diagram details: Slope 13%, Road width 8.29m, Shoulders 0.50m, Wheel tracks 3.39m, Tree on right side.

PF 9 KM 0.1600

KUBATURY	
Na	2.06 m2
Za	0.00 m2
Ur	0.50 m
Sn	0.00 m
Pdc	5.49 m

PF 12 KM 0.2200

Diagram showing a cross-section of a road with a 12% grade. The road width at the top is 8.17m. The road surface is marked with a 12% grade. A tree is shown on the right shoulder. A table on the right lists the cross-section data:

KUBATURY	
Na	1.83 m
Za	0.00 m
Ur	0.50 m
Sn	0.00 m
Pdc	5.17 m

The diagram also shows the road width at the bottom: 2.22m, 0.00m, 2.95m, and 5.00m. The road is labeled 'PF 12 KM 0.2200'.

VYPRACOVAL		ZODP. PROJEKTANT		GEODETIKA S. r. o. <hr/> Sportovní 1 796 00 Prostějov	
Ing. Michaela Janovská		Ing. Jiří Filip			
KATASTRÁLNÍ ÚZEMÍ: SLATINKY					
SPŮ: Pobočka Prostějov				DATUM	11/2019
Komplexní pozemkové úpravy v k.ú. Slatinky				FORMÁT	5x4
				ZAK. ČÍSLO	PÚ 1/2017
OBSAH: DOKUMENTACE TECHNICKÉHO ŘEŠENÍ PŘÍČNÉ ŘEZY - PR9				MĚŘÍTKO	1 : 100
				PŘÍLOHA	F.9.2.